Fd. 41-F

This paper not to be cited without prior reference to the Council\*)

International Council for the Exploration of the Sea

C.M.1975/F:3
Demersal Fish (Northern) Committee

Fisheridirektoratet Biblioteket

REPORT OF THE WORKING GROUP ON FISH STOCKS AT THE FAROES

Charlottenlund Slot, Denmark 10-14 February 1975

General Secretary
ICES
Charlottenlund Slo

ICES Charlottenlund Slot 2920 Charlottenlund

DENMARK

# Contents

			<u>Page</u>
1.	Parti	cipants	1
2.	Terms	of Reference	1
<b>3</b> •	Chang	es in Fishery Regulations in the Faroes Area	1
4.	Descr	iption of Fisheries	1
5•	State	of the Stocks	1
	5.1 5.2 5.3 5.4	Cod	1 3 3 4
6.	Adequ	acy of Data	4
	6.1 6.2	Data on age, length and numbers	4
		classes	4
7.	Refer	ence	5
Tab:	les l	_ 22	6
Add	endum	to the Tables	22
APP.	ENDIX:	Descriptions of Fisheries at the Faroes	23
App	endix !	Tables Al - A8	28
אממ A	endix :	Figure Al	35

Denmark (Faroes)

Fed. Rep. of Germany

U.K. (England)

U.K. (Scotland)

Norway

Poland

# Report of the Working Group on Fish Stocks at the Faroes

#### 1. Participants

Mr K. Hoydal (Chairman)
Mr T. Jakobsen
Mr B.W. Jones
Mr J. Netzel
Dr H.H. Reinsch
Mr J. Richards

Mr D. de G. Griffith, ICES Statistician also took part in the meeting.

### 2. Terms of Reference

At the 62nd Statutory Meeting of ICES a Resolution (C.Res.1974/2:21) asked the Working Group to meet "in order to assess the state of the stocks and estimate Total Allowable Catches for 1976 for cod and haddock".

C.Res.1974/4:29 stated further that "data should be collected to enable stock assessment to be made for redfish, pollack, ling and blue ling from all areas".

### 3. Changes in Fishery Regulations in the Faroes Area

Since the last report of the Working Group (C.M.1974/F:3), there have been two important changes in fishery regulation. On 1 January 1974 the minimum trawl cod end mesh size was increased from 110 mm to 130 mm (manila). In addition, the "Arrangement Relating to Fisheries in the Waters Surrounding the Farges" came into effect at the beginning of 1974. This arrangement restricted trawling by countries party to the Agreement to certain areas at certain times of year, set maximum national catch quotas for cod and haddock and placed restrictions on the amount by which catches of other demersal species could be increased. It is too early as yet for the effects of these regulations to be assessed.

As in 1971 and 1973, the licensed trawl fishery by Faroese boats under 55 GRT in the summer months was permitted to continue in 1974.

#### . Description of Fisheries

The participants in the meeting each prepared a short account of their nation's fishery at the Faroes, and these summary descriptions are presented in the Appendix to this Report. The Working Group noted with regret that it was not possible to include a description of the French fishery.

### 5. State of the Stocks

# 5.1 Cod

As in the previous report, the assessment has been made on the Faroe Plateau stock of cod. The Plateau stock contributes the greater part of the catch from the Faroe area. Assessments of the much smaller self-contained Faroe Bank stock are less reliable, because not all countries report catch for the two stocks separately. Incorrect apportionment of catches between the stocks would result in large errors for the Bank stock and only small errors for the Plateau stock.

### 5.1.1 Trends in catch and effort

Total landings of cod from ICES Division Vb have averaged about 27 000 tons in the last four years (Table 1). Catch rates recorded by British trawlers (Table 13) have been declining from the high levels recorded in the period 1967-1969. Figures for 1974 may not be comparable with those of earlier

years because of the effects of the mesh size increase and restrictions on areas open to trawling as a result of the "Arrangement Relating to Fisheries in the Waters Surrounding the Faroes". Fishing effort by English vessels has been increased since reaching a low level in 1970-71, Scottish total effort has remained relatively constant, but landings of saithe by Scottish vessels have shown a steady increase over the last 6 years. This is probably due to both a reduction in the rejection of this species and an increase in fishery directed at saithe.

# 5.1.2 Estimates of mortality rates (Plateau stock)

Fishing mortality coefficients were estimated by Virtual Population Analysis (VPA). Since the last Working Group Report age composition data for 1973 have become available and there were preliminary data for 1974. Catch data used in the assessment are given in Table 14.

The results (Table 15) indicate that the level of fishing mortality in recent years has been fairly stable, being about 0.4 (0.3-0.5) on the fully exploited age groups. In the previous Report it was stated that yield per recruit calculations, using the Beverton and Holt constant parameter yield equation, indicated that this level of fishing mortality would give maximum yield per recruit for a mean age of first capture as at present of 3.5 years. Further yield per recruit calculations (Table 16) were made at this (February 1975) meeting of the Group, using a method in which F varies with age. These confirmed the previous findings that the present level of fishing mortality is that which will give the maximum sustained yield with the present exploitation pattern. The flat top of the yield curve for Faroe Plateau cod means that the yield per recruit will show little variation over a relatively wide range of fishing mortality.

# 5.1.3 Estimates of recruitment and year class strength

Estimates of year class strength as numbers of two-year old fish are given in Table 17. The updated assessments indicate that the very poor year classes since 1967 referred to in the previous report were limited to the year classes of 1967 and 1968. The more recent year classes are nearer average strength, although these estimates must be regarded as being less reliable.

### 5.1.4 Prognosis (Faroe Plateau stock)

Predictions of catches in 1975 and 1976 have been calculated from the estimated stock composition in 1974, but assuming that the 1972 and subsequent year classes were of average strength, as no adequate data of the abundance of recruiting year classes are available. O-group surveys have been made annually since 1972 but as yet it is too early to know whether these surveys can provide reliable estimates of year class strengths for cod. The weight-at-age data used was the same as that given in Table 16. The catches are predicted on the assumption that the pattern of exploitation and level of fishing mortality will continue as at present.

Estimated catches are : 1975 25 328 tons 1976 25 610 tons

To estimate catches for the whole Faroe area, these figures need to be increased by approximately 2 000 tons to allow for catches from the Faroe Bank stock which were not included in the assessment.

# 5.2 Haddock (total Division Vb)

### 5.2.1 Trends in catch and effort

Landings have declined from 20 000-23 000 tons in 1969-1971 to 18 000 tons in 1973. Landings for 1974 are expected to be in the region of 16 000 - 17 000 tons. This has been accompanied by a decline in catches per unit of effort by British trawlers since 1971 which reflects the lower abundance of recruits since the good year class of 1966 (Table 17).

#### 5.2.2 Estimates of mortality rates

The Virtual Population Analysis (VPA) of the haddock stock at Faroe was updated by including catch figures for 1973 and provisional figures for 1974. The data used were estimates of the total numbers of haddock in each age group landed by Scottish, English and Faroese vessels raised to the total landings by all nations. Table 18 gives the input data for the VPA arranged by year and age. VPA estimates of F for Faroe haddock at age for each year of capture are given in Table 19. The results indicate that fishing mortalities on the fully recruited age groups are fairly stable at around 0.8.

# 5.2.3 Prognosis

For the purpose of predicting the catches of Faroe haddock in 1975 and 1976 recruitment of the year classes 1972 onwards was taken as the average for 1960-1970. Fishing mortality was assumed to remain constant at the 1974 levels as used in the VPA. The weight-at-age data (Table 20) used in the calculations were derived from mean lengths at age given in Jones (1962) converted to weights using the relationship  $W = L^3 \times 9.5 \times 10^{-6}$ .

Estimates of the catches for 1975 and 1976 are :

1975: 14 843 tons 1976: 17 153 tons

Yield per recruit calculations were made using the method that has been described for cod. The results show that with the present fishing mortality (F = 0.8) and exploitation pattern the yield per recruit obtained is close to the maximum. However the yield curve is flattopped and little variation in yield per recruit can be expected over a relatively wide range of fishing mortality. Taking the calculated yield per recruit and an average recruitment (1960-1970) of 37.5 million one-year old fish, the expected yield from the fishery would be 21 000-22 000 tons which compares with the average (1962-1972) landings of 20 200 tons.

### 5.3 Total allowable catches for cod and haddock

As has been mentioned in earlier sections of the report for both cod and haddock, the present levels of fishing mortality are those which can be expected to give the Maximum Sustainable Yields for the present patterns of exploitation. The Working Group therefore recommends that the Total Allowable Catches for 1976 should be set at the same level as predicted catches calculated on the assumption that the fishing mortality rates and exploitation pattern remain unaltered i.e.

Total Allowable Catch 1976: Cod: 28 000 tons (including

Faroe Bank)

Haddock: 17 000 tons

In making this recommendation the Working Group wishes to point out that it has not yet been able to fully assess the effects of the new regulatory

measures introducted in 1974 and described briefly in Section 3 of this Report.

#### 5.4 Blue ling, ling and redfish

The group had a brief discussion on these species. Catch and effort data were to hand only for the major countries in these fisheries - Germany, (F.R.) and Norway. Other countries do not split their ling catches by species. From Tables 6 and 11 it can be seen that catches have increased in recent years, but on the basis of the material at hand it is not possible to assess if this reflects increases in effort or increases in stock sizes.

In the Appendix which contains descriptions of the fisheries of different countries some more detailed data are given for the exploitation of these species by the different fishing fleets.

Besides an updated table giving total catches and efforts based on German data (Table 21) a German age-length key for redfish type mentella is given in Table 22.

No data are at hand which make it possible to split the German catches by types (marinus and mentella).

### 6. Adequacy of Data

# 6.1 Data on age, length and numbers

For cod and haddock the data on catches in weight, numbers, length and age have improved in the most recent years due to the improvement in Faroese catch statistics and sampling. At present the major part of the total catches of these species is being adequately sampled.

The Group noted with interest the Scottish study on their sampling of Faroe haddock catches presented at the Statutory Meeting of ICES (C.M.1974/F:39).

Sampling of numbers, length and age is done for certain flatfish species by Scotland and Faroe, but data for former years exist only for Scotlish catches. As catches for lemon soles reached a very high level in 1973, it might be of interest to examine these data more closely.

For redfish, ling and blue ling the data available at present are inadequate for stock assessment purposes. If these stocks are to be assessed (and the increasing catches seem to make this more necessary), the countries involved will have to start regular sampling. In the Faroe Area the bulk of these species is taken by Germany (F.R.) and Norway. The assessments will therefore depend on the results of sampling by these countries.

### 6.2 Data for estimating the abundance of recruiting year classes

The Group had a brief discussion on different ways of estimating the size of the recruiting year classes. Estimates of predicted future catches and TAC's are dependent on having good data on the strengths of the recruiting year classes in advance of their entry into the fishery. Such data might be obtained from 0-group surveys or from bottom trawl surveys of the youngest age groups before recruitment. 0-group surveys have been undertaken at Faroe by an English research ship since 1972 and by the Faroese research vessel in 1974. It is too early as yet to know whether these surveys will provide adequate abundance estimates which can be correlated with absolute year class strength data. The optimum time for conducting 0-group surveys differs for the various species; saithe, for example, have left the pelagic layers by early July when the surveys have been conducted up to now.

In addition, there are a number of other technical problems which need to be resolved.

The Group noted that in 1975 the English and Paroese surveys will be coordinated and the time period during which the surveys take place will be extended.

# 7. Reference

JONES, R., 1962. "Haddock Bionomics II. The Growth of Haddock in the North Sea and at Faroe. Mar. Res. 2.

Table 1

Catches in ICES Division Vb by country and species 1952-1974. Metric tons, round fresh

COD

Year	Faroe Islands	France	Germany F.R.	Norway		U.K. England	U.K. Scotland	Others	Total
1952 1953 1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973	4 550 4 137 5 190 7 902 7 938 6 920 6 535 4 676 8 723 9 521 6 751 7 428 8 888 9 948 7 957 7 835 13 763 15 718 15 245 12 143 13 276 14 090	175 600 700 - - 100 720 989 1 538 1 120 871 2 519 2 557 2 616 1 426 1 426 1 462 1 752	- - 37 216 689 1 085 1 011 697 451 417 301 376 1 162 854 669 845 1 180 447 225 337 262 305 225	124 - 168 505 147 333 419 314 650 686 476 238 881 266 115 316	419	12 365 12 469 16 017 17 223 8 337 10 067 9 828 10 087 13 746 3 891 5 521 4 558 5 470 4 871 7 096 6 717 3 707 3 485 5 019 5 649	13 283 10 535 14 238 12 380 10 610 13 413 10 523 10 522 16 300 12 954 11 052 10 875 7 791 7 868 7 855 8 546 8 524 12 249 9 102 6 483 6 756 7 836	60 50 180 132 63	30 373 27 141 36 206 38 421 27 574 31 485 27 897 25 982 39 220 26 951 24 230 24 164 25 058 26 277 22 918 26 806 33 768 38 164 31 821 27 985 23 635 27 702
<u>Tal</u>	ole 2			HADD	<u>ock</u>				
1952 1954 1954 1955 1956 1958 1959 1961 1962 1964 1966 1968 1968 1969 1971 1972 1973	225 2 788 2 645 3 645 4 453 6 670 7 8 042 6 6 772 8 042 6 6 9046 11 791 10 488 6 018 4 596	166 792 1 866 1 939 2 717 1 091 2 286 3 314 2 006 790 2 666 3 508	1 33 20 38 19 10 6 22 18 22 32 8 40 30 31 45 6 1 25 46 56	111 119	- - - - - - - - - - 1 190 685	7 714 5 669 5 148 5 937 7 637 5 298 2 766 5 295 4 445 2 347 2 347 2 445 1 1323 1 246 1 600	6 653 6 404 6 832 7 512 9 602 9 573 10 9 159 15 766 7 355 6 463 15 766 4 633 6 421 5 762 4 788 5 899	11 - 29	17 592 15 157 15 547 16 713 17 690 21 198 24 079 20 436 26 019 20 831 27 151 27 571 19 490 18 479 18 766 13 381 17 852 23 272 21 361 19 393 16 485 17 976

x) Preliminary estimates

# SAITHE

Year	Faroe Islands	France	Germany F.R.	Norway	Poland	U.K. England	U.K. Scotland	Others	Total
1952 1953 1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973	47 9 4 89 37 979 536 929 2 491 1 338 1 167 2 429 4 835 2 629 4 693 5 646 2 776	- - - - 620 2 207 6 458 8 565 9 967 5 555 424 7 899 11 036 10 621 28 346 22 241 20 924	- 13 484 4 998 21 082 4 299 6 781 2 583 2 219 985 1 471 6 294 3 611 4 772 6 119 7 532 4 775 2 249 2 251 3 613 9 87 5 919	2 498 - - - 2 498 - 378 1 495 1 839 470 355 1 606	- - - - - 4 050		1 188 1 088 652 1 018 1 176 928 1 460 1 540 2 214 2 631 3 3794 3 463 3 794 3 794 5 346 8 778 5 608 7 198 10 942	66 193 - 63	6 898 7 184 6 212 7 234 10 884 26 858 12 978 14 545 11 845 9 592 10 454 12 750 21 728 22 235 25 372 21 641 20 486 27 536 29 148 30 930 46 753 56 364 45 043
Table	4			WHIT	<u>ING</u>				
1952 1953 1954 1955 1956 1957 1958 1959 1960 1962 1963 1964 1965 1966 1966 1969 1970 1971 1972 1973	222	1 200 1 200 1 421 225 254 80 16 991 73 195 194 72	1 + + + + + + + + + + + + + + + + + + +	600 - 600 -	8	332 563 522 298 157 167 249 70 56 335 29 28 316 46 356 137 235	1 300 1 167 716 581 415 554 333 2403 257 197 285 117 97 138 172 515 251 166 139 394		1 632 1 730 1 238 880 628 711 500 495 473 1 729 223 318 142 1 547 392 427 299 17 552 470 1 100

x)
Preliminary estimates
a) includes Iceland grounds (Va)

# TUSK

Year	Faroe Islands	France	Germany F.R.	Norway	U.K. England	U.K. Scotland	Total
1952 1953 1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1964 1965 1966 1967 1968 1969 1970 1971	187 593 560 1 005 818 845 812 984 1 306 1 301 1 902 2 775 1 488 2 070 2 798 1 454 1 028 1 489 1 918	600 600 600 600 600 600 600 600 600 600	7 40 58 99 48 87 32 29 21 29 137 115 87 109 91 21 19 44 139	1 007 711 511 384 484 199 1 068 637 734 1 401 1 134 802 875 1 565 1 221 2 729 2 906 1 338 1 475 1 872 2 421	92 93 95 114 83 80 106 69 135 67 54 28 30 32 21 18 23 16 11	387 483 401 472 586 694 1 066 1 275 1 260 1 062 1 405 799 924 432 549 412 515 419 386	1 673 1 880 1 574 2 015 2 029 1 917 3 100 3 052 3 467 3 860 4 516 3 561 4 616 4 281 3 299 5 358 6 367 3 241 3 048 3 837 4 880
1973	3 402	can	134	3 066	36	531	7 169

Table 6

# LING AND BLUE LING

Year	Faroe Islands	France	Ger F.R	many *	Noi	way	Poland	U.K. England	U.K. Scotland	Total
1952 1953 1954 1955 1956 1957 1958 1959 1961 1962 1963 1964 1965 1966 1968 1969	Tslands  56 144 122 235 277 259 616 394 520 603 450 365 480 416 416 736 1 209 486	387 1,512 2,844 2,618 1,827 23 177 195	F.R  - 1 247 2 799 2 025 1 882 2 115 1 758 895 11 9 17 48 30 39 60 68 45	B.Ling 478 478 2 493 1 612 850 1 133 1 858 249	679 486 414 711 1 036 626 795 917 400 521 326 496 736 832 2 115 3 203 3 340 1 952	B.Ling 182 1 120 430 238 788 798 2 612	100 600 600 600 600 600 600 600 600 600	England  489 476 474 751 533 579 589 379 629 241 247 183 322 184 276 172 152 225 164	1	Total  1 764 2 041 2 736 4 225 4 225 4 939 2 205 1 3 447 7 200 8 4929 8 4929 1 4929 7 750
1970 1971 1972 1973	699 752 1 572 1 428	578 728 866 1 012	42 46 74 167	335 1 475 2 779 2 931	1 737 2 898 3 958 3 638	557 1 203 4 003	, soos	152 146 268	879 772 850	7 487 11 370 14 308

<sup>\*) 1954-1962</sup> Ling and Blue Ling not separated.

# LEMON SOLE

Year	Faroe Islands	France	U.K. England	U.K. Scotland	Others	Total
1952 1953 1954 1955 1956 1957 1958 1959 1961 1962 1963 1964 1966 1967 1968 1969 1971 1973	### ### ### ### ### ### ### ### ### ##	27 42 49 14 20	373 361 365 307 192 343 298 351 156 187 110 99 104 76 76 35 126	753 462 580 480 548 678 670 752 1 009 910 706 305 393 297 321 404 362 424 303 244 393	100 100 100 100 100 100 100 100 100 100	1 126 823 945 787 740 1 021 962 1 110 1 377 1 165 1 097 848 444 545 439 508 441 492 969 579
Tabl	e 8	, e	PLAICE			
1952 1953 1954 1955 1956 1956 1966 1966 1966 1966 1966	13 27 81 19 4 5 64 83 26 4 11 6 7 102 192 288 143 130	226 131 92 108 54 28 31	79 53 78 57 75 75 82 83 79 106 120 158 82 59 45 95	140 113 142 129 145 189 157 149 209 194 164 130 99 143 161 172 170 181 205 173 111	100 100 100 100 100 100 100 100 100 100	334 179 247 267 221 264 236 237 3315 263 399 305 375 458 486 551 291 372

Table 9

# HALIBUT

	Year	Faroe Islands	France	Germany F.R.	Norway	Poland	U.K. England	U.K. Scotland	Total
	1952 1953 1954 1955 1956 1957 1958 1959 1961 1962 1964 1965 1967 1968 1971 1972 1973	243 149 226 335 390 374 616 404 218 222 137 161 174 276 169 245 267 296 234 212 256	5000 6000 6000 6000 6000 6000 6000 6000	- 13 428 57 125 125 165 10 336 57 48 10 14 35 52	420 437 561 560 187 366 390 180 439 327 299 128 110 180 90 151 182 197 155 78		467 414 433 554 407 580 5986 287 3251 239 248 178 124 74 92 60 144	720 663 735 866 901 1 165 1 261 1 237 1 126 792 725 636 749 558 514 371 256 359	1 850 1 663 1 968 2 743 1 942 2 587 2 863 2 798 2 898 1 427 1 378 1 452 1 249 1 056 1 076 908 718 894
-	Fable 10	<u>)</u>		<u> </u>	<u>IEGRIM</u>				
	1952 1953 1954 1956 1956 1956 1961 1962 1964 1965 1966 1967 1972 1973	600 600 600 600 600 600 600 600 600 600	50 47 237 212 250 312 99 37 38		class  cros  cros		5455234598655551331234	12 19 11 21 13 12 10 6 21 17 19 26 20 17 14 6 8 9 10	17 23 16 16 18 15 12 30 25 31 75 256 219 259 324 109 48 51 15

Table 11

# REDFISH

Year	Faroe Islands	France	Germany F.R.	U.K. England	U.K. Scotland	Total
1952 1953 1954 1955 1956 1957 1958 1959 1960 1962 1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973	1 1 5 5	366 705 582	- 2 114 10 020 5 018 5 217 4 451 3 440 2 295 3 577 2 035 7 119 4 864 3 180 4 853 6 613 1 225 2 479 4 027 9 439	20 139 87 151 25 27 58 276 50 52 31 41 38 8 24 43 13 12 40 72	10 16 2 7 7 13 11 60 38 49 60 43 27 40 22 10 12 13 13	30 155 2 203 10 173 5 050 5 251 4 522 3 489 2 635 2 338 2 493 7 908 5 228 4 899 6 667 1 258 2 053 4 080 9 645
Table 1952 1953 1954	12		CES CES	MONK) 86 69 85	376 320 344	462 389 429
1955 1956 1957 1958 1959 1960 1961 1962 1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973	1 - 535	600 600 600 600 600 600 600 600 600 600	333+371423 - 31 - 36	157 157 214 263 269 314 167 179 160 218 212 164 118 159 175 127 132 99 193	338 429 631 580 629 811 695 642 618 347 326 349 308 335 429 542 538 414	498 589 848 843 911 1 132 873 824 780 568 538 513 426 497 632 679 664 490 1 146

Table 13 Faroe Division Vb. Fishing Effort and Landings per Unit Effort.

	Es	timated Total E	ffort	Lan	dings per Unit	Effort
	Cod	Haddock	Saithe	Cod	Haddock	Saithe
Year	(1)	(1)	(2)	(3)	(3)	(4)
1950	54	45	34	666	303	160
1951	65	54	41	544	272	212
1952	65	59	32	511	298	216
1953	53	53	28	511	286	260
1954	56	55	27	641	283	227
1955	59	56	30	654	299	245
1956	58	49	42	474	363	259
1957	64	58	146	494	367	182
1958	76	79	53	368	304	243
1959	74	82	71	352	248	. 203
1960	118	141	74	331	199	161
1961	108	106	42	250	196	230
1962	101	92	56	239	295	186
1963	90	80	60	267	343	214
1964	80	78	80	315	250	267
1965	81	75	64	336	246	344
1966	63	70	91	363	268	279
1967	52	61	76	510	218	277
1968	74	71	51	464	252	399
1969	71	87	76	537	269	359
1970	79	85	68	405	252	427
1971	65	61	68	435	316	454
1972	72	79	189	328	209	247
1973 (1) Br	103	1.05	161	268	171	349

<sup>(1)</sup> British Units = Million Ton-hours

<sup>(2)</sup> English Units = Million Ton-hours steam + motor trawl

<sup>(3)</sup> Tons per Million Ton-hours, British Trawlers

<sup>(4)</sup> Tons per Million Ton-hours, English Trawlers

E S	Table 14		COD	COD (Faroe	Flateau	u/ Total	al Numbers	OT	rish Ca	Caught at	Each Each	Age x 10	, 01		
1	1960	1961	1962	1963	1964	1965	1966	1961	1968	1969	1970	1971	1972	1973	1974
0	859	1 223	815	1 181	122	162	53	127	34	89	35	78	44	211	255
005	4 728	3 093	4 424	4 110	2 033	852	1 337	1 609	1, 529	878	402	328	875	719	2 293
239	4 027	2 686	2 500	. 3 958	3 021	3 230	970	2, 690	3 322	3 106	1 163	757	1 176	3 111	1 694
28	2 574	1 331	1 255	1 280	2 300	2 564	2 080	860	2 663	3 300	2 172	821	810	1 586	2 287
. 21	513	990 1	855	662	630	1 416	1 339	1 706	. 945	1 538	1 685	1 287	296	705	1 184
200	928	232	481	284	350	363	909	847	1 226	477	752	1 451	1 021	384	544
207	171	372	. 93	204	158	155	197	309	452	713	244	510	596	312	289
50	131	78	94	48	79	48	104	64	105	203	300	114	154	227	236
10	19	29	22	30	41	63	33	27	П	92	44	179	25	121	146

Values of F (M = 0.2) from Virtual Population Analysis Faroe Plateau Cod Table 15

Year	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974 <sup>×</sup>
															,	person de saladores.
H	0.02	90.0	0.05	0.04	0.05	0.01	0.01	00.0	0.01	00.00	0.01	00.00	00.00	00.00	0.01	0.01
C/	0.18	0.46	0.54	0.27	0.26	0.11	0.12	0.09	0	0.10	0.12	90.0	0.03	0.05	0.07	0.10
M	0.48	0.67	0.51	0.50	0.41	0.30	0.25	0.20	0.2	0.23	0.29	0.23	0.14	0.14	0.25	0.25
7	0.44	0.62	0.49	0.48	0.52	0.45	0.45	0.26	0.27	0.41	0.39	0.35	0.25	0.22	0.28	0.30
ſU	0.63	0.53	0.57	0.69	0.51	0.53	0.55	0.46	0.35	0.55	0.44	0.35	0.36	0.29	0.30	0.35
9 -	0.39	0.79	0.48	0.55	0.52	0.56	99.0	0.49	0,59	0.45	0,0	0.40	0.57	0.53	0.31	0.40
2	0.61	0.67	96.0	0.36	0.48	0.62	0.52	0.97	0.50	0.74	0.52	0.71	0.53	0.49	0.31	0.40
ω	0.29	1.05	92°0	0.70	0.32	0.34	0.38	0,80	1.05	0.31	0.91	0.43	06.0	0.30	0.35	0.40
M O	0.50	0.70	0.70	0.50	0.50	0,50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.40	0.40

\*) Assumed values

Table 16

Faroe Plateau Cod

Calculations of yield per recruit with F varying with age

# A. Data

Age	Relative F	Mean Weight
		_
1	0.026	0.46
2	0.26	1.06
3	0.62	1.89
4	0.76	2.92
5	0.88	4.07
6	1.00	5.30
7	1.00	6.58
8	1.00	7.85
9	1.00	9.08
10	1.00	10.27

# B. Results

F max	Yield per Recruit	Correponding yield (tons) for a mean year class strength at 1 year of 19 429 x 10 <sup>3</sup>
0.3	1.419	27 570
0.4	1.423	27 647
0.5	1.390	27 006
0.6	1.360	26 462

$$\frac{Y_{\underline{w}}}{R} = \sum_{t=1}^{10} \left[ \frac{N_{t} \bar{w}_{t} F_{t} (1-e^{-Z_{t}})}{Z_{t}} \right]$$

Table 17

# Faroe Plateau Cod and Haddock

Estimates of year class strength as numbers of 2 year old fish from Virtual Population Analysis Natural Mortality M = 0.2

	Stock siz	ze (millions)
Year class	Cod	H <b>a</b> ddock
1955		34.6
1956	-	38.8
1957	13.1	42.8
1958	14.1	35.2
1959	11.9	50.4
1960	20.6	38.0
1961	20.0	46.7
1962	21.6	29•4
1963	8.1	21.8
1964	18.1	19.2
1965	23.1	24.0
1966	18.0	43.2
1967	8.6	26.6
1968	8.2	25.1
1969	12.6	10.2
1970	19.6	33•5

Haddock (total Vb) Total number of fish caught at each age x 10-3

<b></b>	 									
1974	199.0	5 230.0	2 831.0	3 969.0	453.0	980.0	499.0	565.0	68.0	
1973	663.0	750.0 3 039.0 5 230.0	457.0 4 285.6 3 303.5 2 405.1 4 096.8 7 539.1 4 855.4 4 392.7 3 744.1 7 944.0 2 851.0	898.5 5 133.1 4 804.3 2 598.8 2 812.0 4 567.0 6 580.8 4 727.0 4 179.3 1 175.0 3 969.0	2 635.0	871.0	0.696	139.0	0.99	
1972	42.7		3 744.1	4 179.3	359.8 1 442.5 2 710.0 1 784.9 1 524.5 1 564.8 1 624.1 3 267.4 2 706.4 2 635.0	119.8 1 208.5 1 111.8 1 426.2 1 525.8 1 484.9 1 383.0 1 292.2 1 170.6	695.7	179.6	113.1	
1971	55.1	717.4	4 392.7	4 727.0	3 267.4	1 292.2	863.5	222.3	146.7	
1970	2.95	1 728.2	4 855.4	6 580.8	1 624.1	1 385.0	1 098.5	325.7	68.0	
1969	94.7	2 585.8	7 539.1	4 567.0	1 564.8	1 484.9	922.6 1 223.9 1 098.5	577.9	113.9	
1968	48.8	284.1 1 367.8 1 080.8 1 424.9 5 881.4 2 383.8 1 728.2	4 096.8	2 812.0	1 524.3	1 525.8		230.2	68.1	
1961	9.69	1 424.9	2 405.1	2 598.8	1 784.9	1 426.2	630.5	197.2	51.8	
1966	9.68	1 080.8	3 303.5	4 804.3	2 710.0	1 111.8	7.96.7	179.8	53.5	
1965	39.4	1 367.8	4 285.6	5 133.1	1 442.5	1 208.5	472.5	198.4 1 345.0	42.5	
1964	45.5	2 284.1	7 457.0	3 898.5	2 359.8	1 119.8	727.7	198.4	49.1	
1963	356.2	13 551.8	8 907.4	7 403.4		1 539.4	859.7	256.8	74.7	
1962	941.2 784.2	9 631.1	13 976.7	5 232.5	2 361.2	1 406.6	867.5	270.1	72.3	
1961	941.2	7 932.4	7 330.3	5 134.0	1 957.3	1 305.1	838.2	236.2	59.2	
1960	853.6	6.090 9	.0 659.1	6 655.2	2 482.4	298 8 1 843.6 1 559.0 1 305.1 1 406.6 1 539.4	720.5 1 169.0	243.2	85.3	
1959	524.5	3 970.6	7 662.81	4 543.6	2 055.8	1 843.6		235.7	97.8	
1958	116.0	4 133.3 6 255.3 3 970.6 6 060.9 7 932.4 9 631.1 13 551.8	130.2 8 020.7 7 662.810 659.1 7 330.3 13 976.7 8 907.4	442.0 5 679.4 4 543.6 6 655.2 5 134.0 5 232.5 7 403.4	615.2 3 378 1 2 055.8 2 482.4 1 937.5 2 361.2 2 242.3	1 298 8	817.3	293.5	125.2	
1957	44.7	4 133.3	7 130.2	8 442.0	1 615.2	893.9 1	585.2	226.6	93.9	
Year	Н	01	М	4	2	9	<u></u>	ω	6	

Table 18

Table 19

Farce Haddock Values of F (M = 0.2) from Virtual Population Analysis

to the same of	·	د معرو <sub>ض</sub> ي			na property and the				T = 7
, ¥	œ	7	0	٠,	4	ч	N	μ	Year Age
0.80	0.60	0.66	0.45	0.40	0.62	0.37	0.14	0.00	1957
0.80	0.86	0.98	0.65	0.55	0.58	0.44	0.20	0.00	1958
0.80	0.89	0.98	0.66	0.42	0.48	0.39	0.11	0.01	1959
1.00	1.14	1.26	0.67	0.54	0.69	0.46	0.21	0.02	1960
1.00	0.99	0.98	0.60	0.44	0.43	0.42	0.19	0.02	1961
1.00	1.05	1,11	0.68	0.36	0.61	0.59	0.33	0.02	1962
1.00	1.31	1.25	0.42	0.57	0.74	0.57	0.38	0.01	1963
1.00	1.23	0.35	0.64	0.55	0.53	0.38	0.09	0.00	1966
1.00	0,62	1.05	0.62	0.38	0.48	0.24	0.07	0.00	1965
1.00	0.94	1.01	0.56	0.51	0.46	0.25	0.06	0.00	1966
0.80	0.84	0.73	0.56	0.31	0.31	0.20	0.07	0.00	1967
0.80	0.65	0.89	0.48	0.30	0.37	0.28	0.16	0.00	1968
0.80	1.25	0.93	0.55	0.37	0.58	0.32	0.10	0.00	1969
0.80	0.69	1.06	0.64	0.42	0.51	0.32	0.08	0.00	076τ
0.80	0.64	1.15	0.70	0.52	0.58	0.29	0.08	0.00	1971
0.80	0.80	1.08	0.36	0.80	0.50	0.75	0.03	0.00	1972
0.80	0.65	0.57	0.66	0.70	0.56	0.39	0.15	0.01	1973
0.80	0.80	1.04	0.61	0.44	0.35	0.20	0	0.01	1974 ×

\*) Assumed values

<u>Table 20</u>

Faroe Haddock

Calculations of yield per recruit with F varying with age

# A. Data

Age	Relative F	Mean Weight
1 2	0.013 0.075	0.3 0.47
3	0.25	0.73
4 5	0.44 0.63	1,13 1,55
6 7	0.76 1.30	1.97 2.41
8	1.0	2.76 3.67
10	1.0	3.55

Mean recruitment (1960-1970) 37.5 million fish

# B. Results

F	Yield per Recruit	Yield (tons) assuming average recruitment
0.7	0.573	21 488
0.8	0.591	22 163
0.9	0.571	21 413
1.0	0.564	21 150

Table 21

effort from the Federal Republic of Germany's catches per fishing day Blue Ling and Redfish catches off Faroe Islands 1963-1973 and total

Year 1963 1967 1971 1970 1968 1966 1964 1973 1972 1969 1965 Federal Republic of Germany catch (tons) Blue Ling Н  $\sim$ 2  $\sim$ **|--**| 858 133 779 475 249 850 612 493 335 478 Redfish 4  $\sim$  $\varphi$ N 9  $\sim$ 4 S 853 119 035 027 020 225 613 180 864 479 Federal Republic of Germany catch (tons) per fishing day Blue Ling 1,9 0 ° 6 0.4 J., 0 0 8 1,5 2,5 0.7 1.2 Redfish 2.7 1.8 3.5 3.3 3.5 Blue Ling Total catches by countries (tons)  $\mathcal{N}$ 2  $\mathcal{N}$  $\wp$  $\mathcal{O}$ S 982 032 646 675 947 047 371 280 732 N N Redfish 9 080 053 258 667 899 228 512 908 493 503 <u>a</u>]] 2  $\sim$ N Blue Ling all countries Total effort for 276.67 069,47 911.67 646,00 828.57 622.67 810.00 617.50 783.33 713.75  $\mathcal{V}$ Redfish 554.86 839.07 275.00 904.86 574,85 009.38 698.89 484.55 195.56 608,05 807,42

Table 22 Redfish (type mentella) Faroe 1974. Age/length key data from Federal Republic of Germany

Age(years) Length (cm)	17	18	19	20	21	22	23	24	25	26	27	28	29	30	Total
38	1	1	2												4
39			1	1	2									Ì	4
40			3	3	9			1							16
41			1		10	1	2								14
42					9	3	2	1							15
43					3	2	10	4							19
44					1	2	12	6	3	3					27
45							6	6	3	1					16
46							2	11	2	2					17
47								8	2	3	1	1			15
48								2	2	1	6				11
49										1	1				2
50											1				1
Total	1	1	7	4	34	8	34	39	12	11	9	1			161
Mean length per age	38.5	0 38.5	39.9 0						46.2 8				0		

# ADDENDUM

The following data on catches by French vessels in the Faroe area (Vbl and Vb2) during 1974 were received by the Chairman of the Working Group after the meeting. They comprise catches (in metric tons) made by trawlers landing in Boulogne (January-December 1974) and Lorient (January-June 1974).

Cod		658	tons
Haddock	1	440	tons
Redfish		181	tons
Ling		163	tons
Blue Ling		252	tons

APPENDIX

(C.M.1975/F:3)

DESCRIPTIONS OF FISHERIES AT THE FAROES

.

#### The English Fishery at Faroe

English vessels fishing at Faroe (ICES Division Vb) consist of a fairly small group of side-trawlers of about 400 tons GRT which fish in the area regularly. In addition, there are other vessels, predominantly side-trawlers but of a larger size range, which make less frequent trips to Faroe or which fish a few hauls en route to or from other grounds. The bottom trawl is now the only gear used by English vessels. Fishing takes place on both Faroe Plateau and on Faroe Bank with fishing effort on the Plateau generally about double that on the Bank. The main species sought are cod, haddock and saithe which account for about 80% of the catches. Other demersal species, including halibut, lemon sole, whiting, ling, tusk and plaice, are taken in smaller quantities. Fishing continues throughout the year but the intensity of fishing tends to be greatest when catch rates are highest in spring and again in summer.

Although cod and haddock are the main species sought some vessels will fish specifically for saithe on some voyages or parts of voyages. The proportions of saithe in the catches can be controlled by selection of grounds as the maximum density of saithe tends to be in deeper water than for cod and haddock.

The amount of fishing at Faroe by English vessels (Table Al) reached a maximum in 1960 but subsequently fell as catch rates declined with over-exploitation of the stocks. Fishing effort continued to decline to a minimum in 1970-72 but has increased somewhat in the last two years.

### The Faroese Fishery in the Waters around Faroes

The Faroese fishery in the waters around the Faroes is performed mainly by rather small vessels. Some of the bigger ships operate in the area during part of the year, but as a rule they take part in the distant water fishery.

In weight the catch from Faroe is about 10-12% of total landings by Faroese vessels, and in 1973 it was about 20% of the total catch in ICES Division Vb.

#### Classification of the Boats Operating in the Area all the Year

Class		Number	
1	24.9	139	(open boats not included)
25 -	49。9	53	
50 <del>-</del>	99。9	31	
100 -	149.9	2	(side trawler, Scottish type)
150 -	499.9	5-10	(steel ships, gillnetters taking part in the
			fishery for spawning cod in late winter)

The 3 first classes are wooden boats, fishing most of the year with long-lines, but trawling during the summer.

#### Catch, Effort and Catch per Effort during the Year

The first year with a detailed record of the fishery is 1973, when the new statistical system was introduced.

Tables A2 and A3 give details of the main species by method of capture for this year.

Trawling and the gill-netting is seen to be clearly seasonal. The long-line fishery is stable during the year, except for the summer months, where the cod especially, foraging on sandeel all over the plateau, seem not so willing to take the bait. The hand line (snella) fishery is also rather stable through the year.

The higher CPE for tusk and ling during summer are due to a seasonal fishery directed at these species during the summer by boats not taking part in the summer trawling.

In the summer trawl fishery significant quantities of lemon sole, angler, plaice and other species are taken in addition to cod and haddock.

#### Geographical Distribution of the Fishery

The winter and spring fishery for cod and haddock takes place north and northeast of the islands on the spawning grounds. After spawning the stocks disperse all over the Plateau. In October to November the long-line fishery starts again rather close to the Islands especially east of the Faroes.

The saithe fishery starts in February and moves from the northeast southwards and spreads out over the Plateau.

Due to a special Act a summer trawl fishery has been allowed in 5 areas inside the 12-mile limit from 1 June to 1 September. The flatfishes move into these areas in May, and move out again in September.

In August the trawlers mainly seek cod in the area west of the southernmost Island, Suouroy.

# The German (F.R.) Fishery off Faroe

In 1974 German trawlers were fishing throughout the year on the grounds off Faroe as in previous years. The fishery was by bottom trawl, the trawlers mainly using a 180 foot trawl. The type of gear used by trawlers is not dependent on the type of the vessel but on the ground. In 1974 both fresh-fish and freezer trawlers were operating off Faroe.

Except for the coalfish fishery during the spawning time in late winter and early spring, the German fishery off Faroe is an occasional fishery, carried out mainly by trawlers on their way to and from the Icelandic fishing grounds. The German trawlers mainly fish on the NE-Shelf and on the grounds around Suouroy. Table A4 gives the monthly catch of each species for 1973.

### The Norwegian Fishery in Faroese Waters

The Norwegian Fishery in Faroese waters is comprised of a gill-net fishery for spawning saithe in winter and a long-line fishery for ling, blue ling and tusk from May to December. Relatively small quantities of cod and halibut are taken chiefly as a by-catch, cod mostly by gill-net and halibut by long-line. The catch at Faroe in 1973 was only 1.3% by weight of the total Norwegian catch of demersal species. However, the catches of ling, blue ling and tusk make up significant proportions of the total Norwegian catches of these species, 14.6%, 34.1% and 11.3% respectively in 1973. The Norwegian catches of different species at Faroe are given in the catch tables of the report.

#### The Fishing Fleet

The boats fishing at Faroe are based on the Norwegian west coast and may operate in several different areas during the year including the west coast of Norway, the northern North Sea, Shetland, the Hebrides and Rockall. The size range of the boats is 60-105 feet and the average maximum loading capacity is approximately 70 metric tons.

#### The Gill-Net Fishery

The gill-net fishery takes place chiefly in February and March during the spawning season of the saithe and the boats are operating mainly east of the islands. The catches of saithe are generally slightly higher in February than in March. Cod is also caught by the gill nets, mostly as a by-catch. The catches of cod tend to increase during the gill-net season, but this may be the effect of decreasing catches of saithe. The number of boats participating in the fishery in 1974 was 19, which altogether made 35 trips to the Faroes. This indicates an increase in the effect (Table A5).

# The Long-Line Fishery

The long-line fishery at Faroe is carried out from May to December, generally with highest effort in September (Table A5). In 1974 there were 43 boats participating, making 81 trips. This is 10 below the average for the last six years, but there is no clear trend towards a reduction in the effort. Table A6 gives the average catch/trip per month for the period 1969-1974. These data do not give information about catch/effort because the boats usually fish until they are loaded. The table does, however, give information about the relative occurrence of the different species during the long-line season. The catch of tusk is very stable throughout the season, whereas for ling the highest catch/trip ratios occur in May and June and then gradually decrease towards the end of the year. The catch ratios for blue ling are lowest in May and increase to a maximum level in September-November. The catches of cod and halibut are bycatches and are both relatively stable throughout the season, except for an increase towards the end of the year.

For the three main species there is no clear indication of any change in their relative occurrence. The catches of blue ling may, however, be extremely variable from year to year. For halibut and especially for cod there has been a decrease in catch/trip. For cod the average for 1969-1971 was 4.1 tons and for 1972-1974 it was 0.6 tons. The corresponding averages for halibut were 2.1 and 1.0 tons.

The geographical distribution of the Norwegian long-line fishery is poorly known, except that the boats are fishing mainly off the shelf.

### The Polish Fishery at Faroe in 1973

The fishery at Faroe is conducted mainly by side trawlers of the B14 type. These are trawlers of slightly more than 500 BRT and are powered by 800 or 1200 HP steam engines. The gear used by these trawlers is the otter trawl. Occasionally trawlers of the B23 type fished in this region also. In 1973 the main part of the fishery was in the period May to September. Saithe was the main species taken in the Polish catches with haddock and cod second and third in importance. The other species present in the catches may be regarded as by-catch. The Polish catches and effort are given in Table A7.

### The Scottish Fishery at Faroe in 1973 and 1974

The Scottish Fishery at Faroe has traditionally been an all-year fishery but with a slight increase in fishing effort during the second and third quarters of the year. Fishing effort in the last quarter of 1974 was much reduced due to the quota allocation having been reached before the end of the year. The main fishery is a side trawl fishery conducted by boats in the 150-499.9 GRT class with an average GRT of approximately 250 tons. Less important is the great line fishery by up to 4 boats in the 100-149.9 class and 150-499.9 GRT classes.

The main species fished are cod, haddock and saithe but significant quantities of other species are also taken as a by-catch (see Table A8).

The distribution of fishing effort in the Faroe region in 1973 and the first half of 1974 is shown in the attached charts. Fishing effort by the lines is mainly at Faroe Bank.

Appendix Table Al Fishing effort and landings of cod, haddock and saithe by English trawlers fishing at Faroe (ICES Division Vb)

Year		Landings (Me	etric Tons, Whol	e Weight)
	Thousands of Hours Fishing	Cod	Haddock	Saithe
1960	104	13 746	7 298	6 437
1961	50	3 891	2 765	4 230
1 1962	57	5 521	3 766	3 724
1963	46	4 558	4 655	3 187
1964	50	5 845	3 442	4 329
1965	44	5 470	3 385	5 265
1966	36	4 871	2 867	3 321
1967	35	7 996	2 347	3 536
1968	35	7 096	2 445	5 123
1969	35	6 717	1 976	4 303
1970	22	3 707	1 137	3, 066
1971	22	3 485	2 323	3 305
1972	22	3 019	1 371	2 453
1973	46	5 079	2 426	7 527
1974	(34)	(3 649)	(1 600)	(3 821)

Appendix Table A2 Catch by method of ca

Catch by method of capture Effort Catch per effort

Faroese Catches. ICES Area Vbl Cod, Haddock, Saithe Tons

1973

aĭ.	Trawl		Gill Net	4		Long L	Long Line		Handline	No.	of Handlin	OTHER GEARS	TOTAL
	t:10 tre		hours Effort:	No. of	nets	Effort	::1000 H		Effort:	per	Trip	CATCH	CATCH
САТСН	EFFORT	CPE	CATCH	EFFORT	CPE	САТСН	EFFORT	CPE	CATCH	EFFORT	CPE		
100	1					852	8968	.095	11	78	.142	2	898
4	1	1	+	+	+	986	9860	.100	+	+	+	+	686
			51	1	ı	+	+	+	+	+	+	+	52
4	1	1	99	1474	.038	622	6158	101.	24	141	.170	4	710
11		1	+	+	+	604	6637	.091	<b>—</b>	+	+	M	610
		<del>-</del>	56	727	.077	·			53	349	.152	+	112
37	1	ı	1181	8880	.133	947	8307	.114	455	2500	.182	25	2645
u)	!	ı		water No.		268	4188	.064	+		+	m	276
4	1	1				2	~~~	+	327	1185	.276	σ	339
62	50	1.23	233	5682	.041	177	2855	.062	293	2139	.137	5	770
9	1	1	+	+	+	145	2132	.068	+	+	*	7	155
11	1	1	4	1	1			l	287	1087	.264	+	294
71	. 93	.76	4	1	1	81	3681	.022	156	1544	.101	2	314
13	1	l		4		99	825	.080	+	+	+	+	82
m	1	1		ال رخوان		2	+	+	346	627	.552	16	368
712	1	.71				140	1505	.093	157	1440	.109	9	1015
159		.22		- State and State		09	206	.085	4	ı	l	ហ	229
41	455	60.				+	+	+	185	1968	.094	quart	228
792		.63				63	1432	.044	406	2417	.168	₽-1 1-1	1272
2,		.29	ay-weak-are			101	1098	.092	σ	429	.021	2	391
41		.13				+	+	+	259	300	.862	+	300
1066		1.14				42	1.200	.035	40	286	.104	2	1151
343	858	.40			· pagestario	9/	1134	790.	7	ı			422
31		.08				+	+	+	10	77	.130	7	43
42	2 58	.72				65	1160	.056	83	564	.147	2	192
14		. 30				168	O)	980.	'n	1	1		187
	1	1							65	67	.972	2	68
, -	1					534	7026	920.	133	881	.151	<del></del>	685
$\sim$	1 	1	- income			734	7892	.093	m	1		<del>woods area</del>	741
-	1	1							71	29	2.457	2	74
						644	6252	.103	24	1	1	2	670
	•		· ·			694	7383	.094	v-l	1	l	<b>*</b>	694
						2	1	1					2
			4.00			140	1443	760.	2	1	1		142
			mental d	Mary Mary 2		161	1210	.133					9
		<b>E</b>		~		, <b>-</b>		1			na page		1

Long Line (Only Negligible Quantities in Other Gears)

CPU (tons per 1000 hooks)	.027	.024	.024	.025	.053	.026	.094	.035	. 203	980.	.134	.100	.130	.144	.227	.124	.129	.031	.063	.042	.023	600.	-	1
Effort CPU (tons (1000 hooks	3518	2625	5083	3280	3226	2346	3021	2229	1542	1291	1030	930	1238	917	925	944	1868	3742	3032	1167	5174	4778	1	l
Catch (tons)	95	63	122	82	171	61	284	78	313	111	138	93	161	132	210	117	241	116	191	49	119	43	21	0
	TUSK	LING	TUSK	LING	TUSK	LING	TUSK	LING	TUSK	LING	TUSK	LING	TUSK	LING	TUSK	LING	TUSK	LING	PUSK	LING	TUSK	LING	TUSK	LING
	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER	

280.3 55.9 11 888.4 Catch per day kg Federal Republic of Germany catches off Faroe, 1973 (tons, round fresh) 545 111 944 Total 10 W1 110 7 C 8 0 0 4 0 4 0 0 0 0 0 0 0 0 0 0 0 801 501 247 12 595 245 81 239 277 277 15 482 192 139 20 10 369 160 2 9 131 109 ω 398 21 2 589 239 263 24 9 747 1168 1168 116 829 532 173 80 Ŋ 1110111110111 52 9 4 0411119111 376 49 3 294 40 Ø 129 205 15 Appendix Table A4. Н Month Blue Whiting Days Fished Ling Blue Ling Skates and Grenadier Greenland Halibut Sharks Pollack Redfish Catfish Halibut Whiting Species Haddock Saithe 0thers Наке  $\mathbb{T}$ usk Total Monk

Appendix Table A5. Number of landings per month in Ålesund, Norway from Norwegian boats coming from Faroese waters. Average 1969-1974.

Gil	.1-Net	Land	ings		Long-Line Landings									
J	F	M	A	M	J	Ј	A	S	0	N	D			
1	9	16	2	4	12	11	14	19	17	8	7			
	Tota	al: 28					Tota	1: 92						

<sup>1)</sup> The Norwegian effort data presented here are based on landings in Alexund which are estimated to make up 85-90% of the total.

Appendix Table A6. Average monthly catch per trip to Faroese waters 1969-1974 by Norwegian long-line boats (based on landings in Ålesund, Norway) Metric tons round fresh weight.

Species	M	J	J	A	S	0	N	D	Total
Cod	1.4	0.6	0.3	0.9	1.6	1.0	3.4	14.0	2.4
Ling	40.4	41.8	30.7	25.5	22.3	19.5	13.9	14.8	25.4
Blue Ling	2.7	5.1	7.8	15.7	26.9	27.9	27.2	15.0	19.4
Tusk	12.7	20.2	23.0	17.0	21.0	19.0	22.7	21.4	20.5
Halibut	1.0	1.8	1.9	1.1	1.0	1.6	1.8	4.4	1.5

Appendix Table A7. Polish Catches from Faroe (Vb).

ec Total	22 1 075	29 4 026	1 1 188	41	<u></u>			92	5	0	4	66	255	87	σ	58 6 198
Nov D	38	56	9	4	2	Н	20			-			Ŋ	<del></del> 1		75
Oct	95	254	10	17	4	4	l	4			4	2	84		77	389
Sep	58	392	34	36			4	į		•		ß	ı		M	469
Aug	166	1 006	62	85			8	5	5			31	37	12	1	1 245
JuJ	262	952	325	126			1	7		0		30	11	8	~	1 463
Jun	225	635	571	66			4	I				33	31	96		1 409
May	99	264	83	17				20					34	38		456
Apr	75	153	96	56				19					1			274
Mar	0 <i>L</i>	305	1	l				21					56			382
Feb																
Jan							_		-							
	No. of days fished	Saithe	Haddock	Cod	Whiting	Наке	Ling	Other Gadiform sp.	Halibut	Greenland Halibut	Plaice	Flounder not specified	Herring	Mackerel	Miscellaneous Marine Fishes	Total

Appendix Table A8. Scottish Landings from Faroe 1973.

Species	Tonnes
Cod	6 756
Haddock	4 788
Saithe	10 131
Plaice	134
Lemon Sole	393
Ling	850
Tusk	531
Whiting	394

Hours fished: 64 079

Appendix Figure Al. Distribution of Scottish fishing effort (hours fishing) at Faroe in 1973 (top figure) and the first half of 1974 (bottom figure).

